

Cutting Nozzles – SAF[®] style

Item No.	Tip Size (mm)	Length (mm)	Cutting Thickness (mm)	Oxygen Pressure (bar)	Gas Pressure (bar)
G1-A 7/10	0.7	86	3-10	3.0-5.0	0.5-1.0
G1-A 10/10	1.0	86	10-25	5.0-7.0	0.5-1.0
G1-A 12/10	1.2	86	25-50	5.0-7.0	0.5-1.0
G1-A 16/10	1.6	86	50-80	5.0-7.0	0.5-1.0
G1-A 20/10	2.0	86	80-120	5.0-7.0	0.5-1.0
G1-A 25/10	2.5	86	120-200	5.0-7.0	0.5-1.0
G1-A 30/10	3.0	86	200-300	5.0-7.0	0.5-1.0



**G1-A
Acetylene – 1pc**

Item No.	Tip Size (mm)	Length (mm)	Cutting Thickness (mm)	Oxygen Pressure (bar)	Gas Pressure (bar)
G1-P 7/10	0.7	86	3-10	3.0-5.0	0.5-1.0
G1-P 10/10	1.0	86	10-25	5.0-7.0	0.5-1.0
G1-P 12/10	1.2	86	25-50	5.0-7.0	0.5-1.0
G1-P 16/10	1.6	86	50-80	5.0-7.0	0.5-1.0
G1-P 20/10	2.0	86	80-120	5.0-7.0	0.5-1.0
G1-P 25/10	2.5	86	120-200	5.0-7.0	0.5-1.0
G1-P 30/10	3.0	86	200-300	5.0-7.0	0.5-1.0



**G1-P
Propane – 2pc**

GRACEDUTY COMPANY LIMITED

Room 1102 - 1104, 11/F., CRE Centre,
889 Cheung Sha Wan Road, Kowloon, Hong Kong, China
Tel: (852) 2420-5808 (6 Lines) Fax: (852) 2420-5507

E-mail : welding@graceduty.com.hk <http://www.graceduty.com.hk>